


ROMAN BLIND SYSTEMS



GENERAL NOTES

Dimensions

- Measurements are in mm except where indicated.
- Max. kg relates to fabric incl. accessories (bottom bars, cross rods, etc.).
- Stack size is typically 15-20% of system height.

Fitting

- Installation by qualified fitter only.
- Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.
- Qualified fitter must use appropriate screws / fixings for each situation.
- Electrical installations must be carried out according to Silent Gliss wiring diagrams and conform to local regulations.
- Check space for cables and plugs!



Child Safety

- All relevant Silent Gliss systems correspond to child safety EN 13120.
- All parties involved must comply with EN 13120.

APPLICATION CHART

<u>PAGE</u>	<u>SYSTEM</u>	<u>OPERATION</u>	<u>DIMENSION</u>	← max. →	↑ max. ↓	kg _{max.}
5	SG 2120		L	4 m	6 m	8 kg
13	SG 2210		S - M	3 m	3 m	2 kg
21	SG 2305		S - M	3 m	3.4 m	4 kg
29	SG 2320		S - M	3 m	3 m	2.5 kg
39	SG 2355		S - M	3 m	3 m	4 kg
49	SG 2360		S - L	4 m	4 m	10 kg

SG 2120



PRODUCT INFORMATION

- **Operation:** chain
- **Range:** L
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016, anodised aluminum
- **Fabrics:** refer to Silent Gliss fabric collection

Features:


- 5-to-1 gear drive
- Bead chain

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS



4 m



6 m




8 kg




24 m²

B. PROFILE


Profile Information



SG 2211
Velcro profile




SG 2004
Bottom bar 20x7 mm



SG 2111
Shaft




SG 2135
Rod steel ø 3 mm



SG 2137
Rod fiberglass ø 4 mm

C. HOW TO MEASURE




A: System width
B: System height
C: Chain height
D: Safety retainer SG 10731 min. 150 cm above floor

FITTING

A. FITTING INFORMATION



For detailed fitting information, visit the [Silent Gliss website](#).

Fixing points



B. CEILING FITTING


Bracket SG 3603




SG 3603
Bracket

C. WALL FITTING


Bracket SG 3655, SG 3660



Bracket	X mm
SG 3655	58
SG 3660	73




SG 3655
Bracket 50 mm




SG 3660
Bracket 65 mm


Smart Fix



Smart Fix SG 11200 - SG 11205 and bracket SG 3603:
Screw SG 10492 (M4x8) needed.




Square Smart Fix SG 11210 - SG 11215 and bracket SG 3603:
Screw SG 10492 (M4x8) needed.



Universal Smart Fix 11154-11156 and bracket SG 3603:
Screw SG 10277 (M4x12) needed.

Smart Fix	X mm
SG 11200 / SG 11210	80
SG 11201 / SG 11211	100
SG 11202 / SG 11212	120
SG 11203 / SG 11213	140
SG 11204 / SG 11214	170
SG 11205 / SG 11215	220
SG 11154	132-160
SG 11155	162-190
SG 11156	212-240




SG 3603
Bracket




SG 10277
Pan head screw M4x12




SG 10492
Pan head screw M4x8




SG 11200
Smart Fix 60 mm




SG 11201
Smart Fix 80 mm




SG 11202
Smart Fix 100 mm




SG 11203
Smart Fix 120 mm




SG 11204
Smart Fix 150 mm




SG 11205
Smart Fix 200 mm




SG 11210
Square Smart Fix 60 mm



SG 11211
Square Smart Fix 80 mm




SG 11212
Square Smart Fix 100 mm




SG 11213

Square Smart Fix 120 mm




SG 11214

Square Smart Fix 150 mm




SG 11215

Square Smart Fix 200 mm




SG 11154

Universal Smart Fix 120 mm



SG 11155

Universal Smart Fix 150 mm




SG 11156

Universal Smart Fix 200 mm

SYSTEM OPTIONS

A. FABRIC MAKE-UP



Type A (standard)

A: Tape SG 2164 / SG 3074


B: Tape SG 2163

C: Child safety hook set SG 3164

D: Hollow hem

E: Bottom bar SG 2004

F: Child safety: max. distance 200 mm



Type B (rod)


A: Hollow hem

B: Child safety eyelet hard fold SG 3069

C: Rod SG 2135 / SG 2137

D: Tape SG 2163

E: Child safety hook set SG 3164



Type C (rod)

A: Child safety eyelet set SG 3161

B: Rod SG 2135 / SG 2137










C: Tape SG 2163

D: Child safety hook set SG 3164











E: Option: Rod SG 2135 / SG 2137 can be installed to room side















PARTS


A. STANDARD PARTS

	SG 2004 Bottom bar 20x7 mm
	SG 2049 Chain drive
	SG 2059 Safety clip
	SG 2081 Take-up spool
	SG 2111 Shaft
	SG 2163 Tape
	SG 2179 End cover
	SG 2211 Velcro profile
	SG 2539 Tape
	SG 2865 Bead chain connector ø 4.6 mm
	SG 2872 Bead chain plastic ø 4.6 mm
	SG 3164 Child safety hook set
	SG 3603 Bracket
	SG 10731 Child safety retainer set

B. OPTIONAL PARTS

	SG 2135 Rod steel ø 3 mm
	SG 2137 Rod fiberglass ø 4 mm
	SG 2164 Ring tape
	SG 3055 Hook
	SG 3069 Child safety eyelet
	SG 3074 Loop tape
	SG 3161 Child safety eyelet set
	SG 3340 Cord/chain weight
	SG 3655 Bracket 50 mm
	SG 3660 Bracket 65 mm
	SG 4845 Bead chain metal ø 4.5 mm
	SG 10277 Pan head screw M4x12
	SG 10492 Pan head screw M4x8
	SG 11154 Universal Smart Fix 120 mm



	SG 11155 Universal Smart Fix 150 mm
	SG 11156 Universal Smart Fix 200 mm
	SG 11200 Smart Fix 60 mm
	SG 11201 Smart Fix 80 mm
	SG 11202 Smart Fix 100 mm
	SG 11203 Smart Fix 120 mm
	SG 11204 Smart Fix 150 mm
	SG 11205 Smart Fix 200 mm
	SG 11210 Square Smart Fix 60 mm
	SG 11211 Square Smart Fix 80 mm
	SG 11212 Square Smart Fix 100 mm
	SG 11213 Square Smart Fix 120 mm
	SG 11214 Square Smart Fix 150 mm
	SG 11215 Square Smart Fix 200 mm



SG 11482

Ring

SG 2210



PRODUCT INFORMATION

- **Operation:** chain
- **Range:** S - M
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016
- **Fabrics:** refer to Silent Gliss fabric collection

Features:


- 1-to-1 gear drive
- Bead chain
- Easy washing / changing of the fabric

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS



3 m



3 m




2 kg




9 m²

B. PROFILE


Profile information



SG 2211
Velcro profile




SG 1003p
Profile



SG 2004
Bottom bar 20x7 mm

C. HOW TO MEASURE




A: System width
B: System height
C: Chain height
D: Safety retainer SG 10731 min. 150 cm above floor

FITTING

A. FITTING INFORMATION


Fixing points



For detailed fitting information, visit the [Silent Gliss website](#).

B. CEILING FITTING


Bracket SG 3603




SG 3603
Bracket

C. WALL FITTING

Bracket SG 3655,
SG 3660




SG 3655
Bracket 50 mm



SG 3660
Bracket 65 mm


Bracket	X mm
SG 3655	58
SG 3660	73

Smart Fix




Smart Fix SG 11200 - SG 11205 and bracket SG 3603:
Screw SG 10492 (M4x8) needed.

Smart Fix	X mm
SG 11200 / SG 11210	80
SG 11201 / SG 11211	100
SG 11202 / SG 11212	120
SG 11203 / SG 11213	140
SG 11204 / SG 11214	170
SG 11205 / SG 11215	220
SG 11154	132-160
SG 11155	162-190
SG 11156	212-240




Square Smart Fix SG 11210 - SG 11215 and bracket SG 3603:

Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3603:

Screw SG 10277 (M4x12) needed.



SG 3603

Bracket




SG 10277

Pan head screw M4x12




SG 10492

Pan head screw M4x8




SG 11200

Smart Fix 60 mm




SG 11201

Smart Fix 80 mm




SG 11202

Smart Fix 100 mm




SG 11203

Smart Fix 120 mm




SG 11204

Smart Fix 150 mm




SG 11205

Smart Fix 200 mm




SG 11210

Square Smart Fix 60 mm




SG 11211

Square Smart Fix 80 mm




SG 11212

Square Smart Fix 100 mm




SG 11213

Square Smart Fix 120 mm




SG 11214

Square Smart Fix 150 mm




SG 11215

Square Smart Fix 200 mm




SG 11154

Universal Smart Fix 120 mm



SG 11155

Universal Smart Fix 150 mm




SG 11156

Universal Smart Fix 200 mm


SYSTEM OPTIONS

A. FABRIC MAKE-UP




Type A (standard)

- A: Loop tape SG 3074
- B: Cord SG 2216
- C: Child safety fastener set SG 3167
- D: Hollow hem
- E: Bottom bar SG 2004
- F: Child safety: max. distance 200 mm!



Type B (rod)

- A: Hollow hem
- B: Child safety eyelet hard fold SG 3069
- C: Rod SG 2135
- D: Tape
- E: Child safety hook set SG 3167



Type C (rod)

A: Child safety eyelet set SG 3161

B: Rod SG 2135 / SG 2137








C: Tape





D: Child safety hook set SG 3167

E: Option: rod SG 2135 / SG 2137 can be installed to room side













PARTS














A. STANDARD PARTS

	SG 1003p Profile
	SG 2004 Bottom bar 20x7 mm
	SG 2049 Chain drive
	SG 2101 Eyelet
	SG 2179 End cover
	SG 2201 Eyelet
	SG 2211 Velcro profile
	SG 2212 Tube adapter
	SG 2213 Tube adapter
	SG 2215 Eyelet
	SG 2216 Cord ø 0.85 mm
	SG 2219 Eyelet
	SG 2227 Pin
	SG 2539 Tape



	SG 2865 Bead chain connector ø 4.6 mm
	SG 2872 Bead chain plastic ø 4.6 mm
	SG 3167 Child safety fastener set
	SG 3603 Bracket
	SG 10731 Child safety retainer set

B. OPTIONAL PARTS

	SG 2135 Rod steel ø 3 mm
	SG 2137 Rod fiberglass ø 4 mm
	SG 3055 Hook
	SG 3069 Child safety eyelet
	SG 3074 Loop tape
	SG 3161 Child safety eyelet set
	SG 3340 Cord/chain weight
	SG 3655 Bracket 50 mm
	SG 3660 Bracket 65 mm
	SG 10277 Pan head screw M4x12
	SG 10492 Pan head screw M4x8
	SG 11154 Universal Smart Fix 120 mm
	SG 11155 Universal Smart Fix 150 mm
	SG 11156 Universal Smart Fix 200 mm

	SG 11200 Smart Fix 60 mm
	SG 11201 Smart Fix 80 mm
	SG 11202 Smart Fix 100 mm
	SG 11203 Smart Fix 120 mm
	SG 11204 Smart Fix 150 mm
	SG 11205 Smart Fix 200 mm
	SG 11210 Square Smart Fix 60 mm
	SG 11211 Square Smart Fix 80 mm
	SG 11212 Square Smart Fix 100 mm
	SG 11213 Square Smart Fix 120 mm
	SG 11214 Square Smart Fix 150 mm
	SG 11215 Square Smart Fix 200 mm
	SG 11482 Ring

SG 2305



PRODUCT INFORMATION


- **Operation:** chain
- **Range:** S - M
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016, black RAL 9005
- **Fabrics:** refer to Silent Gliss fabric collection

Features:

- 4-to-1 gear drive
- Stainless steel bead chain
- Enclosed headrail
- Integrated magnetic child safety end-set


SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS




B. PROFILE

Profile information



C. HOW TO MEASURE

Breakaway child safety chain drive
SG 2307




FITTING

A. FITTING INFORMATION



For detailed fitting information, visit the *Silent Gliss* website.

Fixing points





B. CEILING FITTING

Bracket SG 2302



SG 2302
Bracket


Bracket SG 2346




SG 2346
Bracket

C. WALL FITTING


Smart Fix



Smart Fix SG 11200 - SG 11205 and bracket SG 2302:
Screw SG 10395 (M4x6) needed.




Square Smart Fix SG 11210 - SG 11215 and bracket SG 2302:
Screw SG 10395 (M4x6) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 2302:
Screw SG 10492 (M4x8) needed.

Smart Fix	X mm
SG 11200 / SG 11210	71-79
SG 11201 / SG 11211	91-99
SG 11202 / SG 11212	111-119
SG 11203 / SG 11213	131-139
SG 11204 / SG 11214	161-169
SG 11205 / SG 11215	211-219
SG 11154	126-152
SG 11155	156-182
SG 11156	206-232




SG 2302
Bracket




SG 10395
Pan head screw M4x6




SG 10492
Pan head screw M4x8




SG 11200
Smart Fix 60 mm




SG 11201
Smart Fix 80 mm




SG 11202
Smart Fix 100 mm




SG 11203
Smart Fix 120 mm




SG 11204
Smart Fix 150 mm




SG 11205
Smart Fix 200 mm




SG 11210
Square Smart Fix 60 mm




SG 11211
Square Smart Fix 80 mm




SG 11212
Square Smart Fix 100 mm




SG 11213
Square Smart Fix 120 mm




SG 11214
Square Smart Fix 150 mm




SG 11215
Square Smart Fix 200 mm



SG 11154
Universal Smart Fix 120 mm




SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm


SYSTEM OPTIONS

A. FABRIC MAKE-UP



Type A (standard)

- A: Loop tape SG 3074
- B: Child safety hook set SG 3164
- C: Hollow hem
- D: Bottom bar SG 2004
- E: Child safety: max. distance 200 mm




Type B (rod)

A: Hollow hem

B: Child safety eyelet hard fold SG 3069

C: Rod SG 2135

D: Child safety hook set SG 3164



Type C (rod)

A: Child safety eyelet set SG 3161






B: Rod SG 2135 / SG 2137

C: Child safety hook set SG 3164











D: Option: rod SG 2135 / SG 2137 can be installed to room side















PARTS

A. STANDARD PARTS



	SG 2004 Bottom bar 20x7 mm
	SG 2301 Velcro profile
	SG 2307 Child safety chain drive set 4:1
	SG 2308 Cord drum with lift cord
	SG 2309 Shaft
	SG 2311 Bead chain metal ø 4.5 mm
	SG 2539 Tape
	SG 3164 Child safety hook set

B. OPTIONAL PARTS

	SG 2135 Rod steel ø 3 mm
	SG 2137 Rod fiberglass ø 4 mm
	SG 2144 Profile ø 8 mm
	SG 2164 Ring tape
	SG 2302 Bracket
	SG 2346 Bracket
	SG 3055 Hook
	SG 3069 Child safety eyelet
	SG 3074 Loop tape
	SG 3161 Child safety eyelet set
	SG 10395 Pan head screw M4x6
	SG 10492 Pan head screw M4x8
	SG 11154 Universal Smart Fix 120 mm
	SG 11155 Universal Smart Fix 150 mm

	SG 11156 Universal Smart Fix 200 mm
	SG 11200 Smart Fix 60 mm
	SG 11201 Smart Fix 80 mm
	SG 11202 Smart Fix 100 mm
	SG 11203 Smart Fix 120 mm
	SG 11204 Smart Fix 150 mm
	SG 11205 Smart Fix 200 mm
	SG 11210 Square Smart Fix 60 mm
	SG 11211 Square Smart Fix 80 mm
	SG 11212 Square Smart Fix 100 mm
	SG 11213 Square Smart Fix 120 mm
	SG 11214 Square Smart Fix 150 mm
	SG 11215 Square Smart Fix 200 mm
	SG 11482 Ring

SG 2320



PRODUCT INFORMATION

- **Operation:** chain
- **Range:** S - M
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016
- **Fabrics:** refer to Silent Gliss fabric collection

Features:

- 1-to-1 gear drive
- Stainless steel bead chain
- Enclosed headrail

SYSTEM SPECIFICATIONS


A. SYSTEM DIMENSIONS



3 m



60 cm



3 m




9 m²




2.5 kg

B. PROFILE


Profile information



SG 2321
Profile




SG 8214
Profile ø 18 mm



SG 2004
Bottom bar 20x7 mm




SG 2135
Rod steel ø 3 mm



SG 2137
Rod fiberglass ø 4 mm

C. HOW TO MEASURE



A: System width
B: System height
C: Chain height
D: Safety retainer SG 10731 min. 150 cm above floor

D. SPECIFICATION

TEXT

EN

Silent Gliss SG 2320 Chain Operated Roman Blind Headrail System. Comprises headrail SG 2321 made to measure and powder coated in white. Profile SG 8214 with cord holder SG 2323 and detachable cord lock SG 2322 for easy dismantling when washing the fabric. Cord SG 2216 and metal bead chain SG 4845. Top fix using clip bracket SG 2616. Wall fix with SG Smart Fix and SG 2616/SG 2643 at max. 90cm between fixing points. Fabric to be attached to headrail profile using loop tape. Fabric make up according to type A-D in the system description. For hardfold, the curtain should be delivered with rods SG2144 / SG 2135 / SG 2135. Child Safety components included, compliant to Child Safety Legislation EN 13120. Fabric to be chosen from the Silent Gliss fabric range, Price Groups 1-4.

SV

Silent Gliss SG 2320 kedjemanövrerat hissgardinsystem med toppkassett. Levereras komplett i specificerat mått innefattande kassett SG SG 2321 vitlack. Profil SG 8214 med linhållare SG 2323 med avtagbart linlås SG 2322 för enkel nermontering av gardinen utan behov av omträdning efter tvätt. Lina SG2216 och metallkedja SG 4845. Takmontering med SG 2616. Vägmontering med SG Smart Fix i kombination med SG 2616/SG 2643. Max. c/c 900 mellan fästpunkter. Textil fästes mot kassett med kardborrtape. Sömnad typ A-D enligt systembeskrivning. Gardin med tvärstag levereras med tvärstag SG 2144 / SG 2137 / SG 2135. Barnsäkerhetsdetaljer inkluderade vilka uppfyller barnsäkerhetsnorm EN 13120. Textil från Silent Gliss textilprogram i prisgrupp 1-4.

NO

Silent Gliss SG2320 Kjedefbetjent liftgardin med toppkasse. Leveres komplett på spesifisert mål. Består av kassett SG2321 hvitlakkert. Profil SG8214, med snorholder SG2323 og avtagbar snorlås SG2322 for enkel demontering, og for å unngå ny trekking av tråder etter vask. Tråd SG2216 og metallkjede SG4845. Takmontering med SG2616. Veggmontering SG Smart fix i kombinasjon med SG2616/SG2643. Max c/c 900 mellom festepunktene. Tekstilen festes i kassetten med borrelås. Søm type A-D i.h.t. systembeskrivelse. Gardiner med spiler leveres med spile SG2144/SG2137/SG2135. Oppfyller kravet til barnesikkerhetsnormen EN13120. Tekstiler fra Silent Gliss tekstilprogram i prisgruppe 1-4.

DA


Silent Gliss SG 2320 kædestyret rullegardinsystem med topkassette. Består af topkassette SG 2321 i specificerede mål og med hvid pulverlakering. Profil SG 8214 med snorholder SG 2323 og aftagelig snorlås SG 2322, så det er nemt at skille ad, når stoffet skal vaskes. Snor SG 2216 og metalkæde SG 4845. Fastgøres i loftet med clipsbeslag SG2616. Vægmonteres med SG Smart Fix og SG 2616/SG 2643 med en afstand på 90 cm mellem fastgøringsspunkterne. Stoffet fastgøres til kassetten med burrelås. Stoffets søm i henhold til type A-D i systembeskrivelsen. Gardin med tværstang bør leveres med stængerne SG2144 / SG 2135 / SG 2135. Børnesikkerhedskomponenter medfølger. Overholder lovgivning om børnesikkerhed efter EN 13120. Stoffet vælges fra Silent Gliss stoffprogrammet, prisgrupper 1-4.

FITTING

A. FITTING INFORMATION


Fixing points

For detailed fitting information, visit the Silent Gliss website.



B. CEILING FITTING

Bracket SG 2616







SG 2616
Bracket

C. WALL FITTING


Smart Fix



Smart Fix SG 11200 - SG 11205 and bracket SG 2616:
Screw SG 10395 (M4x6) needed.




Square Smart Fix SG 11210 - SG 11215 and bracket SG 2616:
Screw SG 10395 (M4x6) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 2616:
Screw SG 10492 (M4x8) needed.

Smart Fix	X mm
SG 11200 / SG 11210	70-76
SG 11201 / SG 11211	90-96
SG 11202 / SG 11212	110-116
SG 11203 / SG 11213	130-136
SG 11204 / SG 11214	160-166
SG 11205 / SG 11215	210-216
SG 11154	126-154
SG 11155	156-184
SG 11156	206-234




SG 2616
Bracket




SG 10395
Pan head screw M4x6




SG 10492
Pan head screw M4x8




SG 11200
Smart Fix 60 mm




SG 11201
Smart Fix 80 mm




SG 11202
Smart Fix 100 mm




SG 11203
Smart Fix 120 mm




SG 11204
Smart Fix 150 mm




SG 11205
Smart Fix 200 mm




SG 11210
Square Smart Fix 60 mm




SG 11211
Square Smart Fix 80 mm




SG 11212
Square Smart Fix 100 mm




SG 11213
Square Smart Fix 120 mm




SG 11214
Square Smart Fix 150 mm




SG 11215
Square Smart Fix 200 mm



SG 11154
Universal Smart Fix 120 mm





SG 11155
Universal Smart Fix 150 mm






SG 11156
Universal Smart Fix 200 mm

Bracket SG 2343




SG 2343
Bracket 46 mm


D. FITTING WITH SIDE GUIDE OPTION




SG 2338
Side guide wire holder




SG 8235
Side guide wire base short




SG 8236
Side guide wire base long



SG 8237
Side guide wire holder




SG 8249
Side guide device



SG 10120
Side guide wire ø 0.9 mm


SYSTEM OPTIONS

A. FABRIC MAKE-UP




Type A

- A: Loop tape SG 3074
- B: Cord SG 2216
- C: Child safety hook set SG 3164
- D: Hollow hem
- E: Bottom bar SG 2004
- F: Child safety: max. distance 200 mm



Type B


- A: Hollow hem
 B: Child safety eyelet hard fold SG 3069
 C: Rod SG 2135
 D: Cord SG 2216
 E: Child safety hook set SG 3164



Type C

- A: Child safety eyelet set SG 3161
 B: Tube SG 2135 / SG 2137
 C: Cord SG 2216
 D: Child safety hook set SG 3164
 E: Option: tube SG 2135 / SG 2137 can be installed to room side

B. SIDE GUIDES



Additional parts:








- 2x SG 2338 Side guide wire holder
- 2x SG 8235 Side guide wire base short
- 2x SG 8237 Side guide wire holder
- 4x SG 8249 Side guide device
- 2x SG 10120 Side guide wire $\varnothing$ 0.9 mm






Note:

- Up to 15° from vertical











PARTS



















A. STANDARD PARTS

	SG 2004 Bottom bar 20x7 mm
	SG 2216 Cord ø 0.85 mm
	SG 2221 Velcro tape
	SG 2321 Profile
	SG 2322 Pin
	SG 2323 Shell
	SG 2327 Tube adapter
	SG 2328 Tube adapter
	SG 2335 Drive case 1:1
	SG 2336 Support
	SG 2337 End cover
	SG 2339 Cover
	SG 2341 Chain wheel for steel bead chain
	SG 2344 Sleeve for metal bead chain



	SG 2539 Tape
	SG 2616 Bracket
	SG 3164 Child safety hook set
	SG 4845 Bead chain metal ø 4.5 mm
	SG 8214 Profile ø 18 mm
	SG 10139 Countersunk screw 2.9x6.5
	SG 10731 Child safety retainer set

B. OPTIONAL PARTS

	SG 2135 Rod steel ø 3 mm
	SG 2137 Rod fiberglass ø 4 mm
	SG 2333 Chain wheel for plastic bead chain
	SG 2334 Sleeve for plastic bead chain
	SG 2338 Side guide wire holder
	SG 2343 Bracket 46 mm
	SG 2865 Bead chain connector ø 4.6 mm
	SG 2872 Bead chain plastic ø 4.6 mm
	SG 3055 Hook
	SG 3069 Child safety eyelet
	SG 3074 Loop tape
	SG 3161 Child safety eyelet set
	SG 3340 Cord/chain weight
	SG 8235 Side guide wire base short

	SG 8236 Side guide wire base long		SG 11205 Smart Fix 200 mm
	SG 8237 Side guide wire holder		SG 11210 Square Smart Fix 60 mm
	SG 8249 Side guide device		SG 11211 Square Smart Fix 80 mm
	SG 10120 Side guide wire ø 0.9 mm		SG 11212 Square Smart Fix 100 mm
	SG 10395 Pan head screw M4x6		SG 11213 Square Smart Fix 120 mm
	SG 10492 Pan head screw M4x8		SG 11214 Square Smart Fix 150 mm
	SG 11154 Universal Smart Fix 120 mm		SG 11215 Square Smart Fix 200 mm
	SG 11155 Universal Smart Fix 150 mm		SG 11482 Ring
	SG 11156 Universal Smart Fix 200 mm		
	SG 11200 Smart Fix 60 mm		
	SG 11201 Smart Fix 80 mm		
	SG 11202 Smart Fix 100 mm		
	SG 11203 Smart Fix 120 mm		
	SG 11204 Smart Fix 150 mm		

SG 2355



PRODUCT INFORMATION

- **Operation:** motorised
- **Range:** S - M
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016, black 9005
- **Fabrics:** refer to Silent Gliss fabric collection

Features:

- Quiet motors
- Soft stop
- Various control options
- Enclosed headrail
- Fascia included

SYSTEM SPECIFICATIONS


A. SYSTEM DIMENSIONS



3 m



65 cm



3 m




9 m²




4 kg

B. PROFILE


Profile information




SG 2371
Head box




SG 2372
Tube ø 45 mm



SG 11434
Box cover




SG 2004
Bottom bar 20x7 mm




SG 2006
Bottom bar 28x3 mm



SG 2135
Rod steel ø 3 mm




SG 2137
Rod fiberglass ø 4 mm



SG 2144
Profile ø 8 mm

C. HOW TO MEASURE




A: System width
B: System height

FITTING

A. FITTING INFORMATION



For detailed fitting information, visit the *Silent Gliss* website.

Fixing points





B. CEILING FITTING

Clamp SG 3003



SG 3003
Clamp


Bracket SG 2521




SG 2521
Bracket

C. WALL FITTING


Smart Fix



Smart Fix SG 11200 - SG 11204 and bracket SG 2521:
Screw SG 10395 (M4x6) needed.




Square Smart Fix SG 11210 - SG 11214 and bracket SG 2521:
Screw SG 10395 (M4x6) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 2521:
Screw SG 10492 (M4x8) needed.

Smart Fix	X mm
SG 11200 / SG 11210	80-84
SG 11201 / SG 11211	100-104
SG 11202 / SG 11212	120-124
SG 11203 / SG 11213	140-144
SG 11204 / SG 11214	170-174
SG 11154	134-162
SG 11155	164-192
SG 11156	214-242




SG 2521
Bracket




SG 10395
Pan head screw M4x6




SG 10492
Pan head screw M4x8




SG 11200
Smart Fix 60 mm




SG 11201
Smart Fix 80 mm




SG 11202
Smart Fix 100 mm




SG 11203
Smart Fix 120 mm




SG 11204
Smart Fix 150 mm




SG 11210
Square Smart Fix 60 mm




SG 11211
Square Smart Fix 80 mm



SG 11212
Square Smart Fix 100 mm




SG 11213
Square Smart Fix 120 mm




SG 11214

Square Smart Fix 150 mm




SG 11154

Universal Smart Fix 120 mm



SG 11155



Universal Smart Fix 150 mm



SG 11156

Universal Smart Fix 200 mm

Bracket SG 2363




SG 2363

Bracket 68 mm

SYSTEM OPTIONS

A. FABRIC MAKE-UP



Type A (standard)

A: Loop tape SG 3074


B: Cord SG 2216

C: Child safety hook set SG 3164

D: Hollow hem

E: Bottom bar SG 2004

F: Child safety: max. distance 200 mm



Type B (rod)


A: Hollow hem

B: Child safety eyelet hard fold SG 3069

C: Rod SG 2135

D: Cord SG 2216

E: Child safety hook set SG 3164



Type C (rod)

A: Child safety eyelet set SG 3161

B: Rod SG 2135 / SG 2137

C: Cord SG 2216

D: Child safety hook set SG 3164

E: Option: Rod SG 2135 / SG 2137 can be installed to room side

MOTORS & CONTROLS

A. MOTOR FEATURES


Motor	SG 11926
Motor Features	
Soft start / stop	●
Built-in receiver	●
Electronic end-stop	●
Electronic revolution counter (unlimited revolution)	●
IP class	IP 30
Control Features	
SG Control N (built-in receiver)	●

B. MOTOR SPECIFICATIONS

Motor	Min. system width	Charging	Speed	Frequency receiver
SG 11926	65 cm	USB-C	28 rpm	433 MHz

Battery charging

- A: Plug-in USB-C cable
B: Battery fully charged when light is green



C. OPERATING METHODS

See catalogue "controls" for details.

SG Control N










Various radio hand-held and wall transmitters available.







Silent Gliss Move App.








PARTS


















A. STANDARD PARTS

	SG 2004 Bottom bar 20x7 mm
	SG 2216 Cord ø 0.85 mm
	SG 2221 Velcro tape
	SG 2371 Head box
	SG 2372 Tube ø 45 mm
	SG 2373 End cover
	SG 2374 End cover
	SG 2375 Tube adapter ø 43 mm
	SG 2376 Shell
	SG 2377 Pin
	SG 2381 Motor plate
	SG 2539 Tape
	SG 3003 Clamp
	SG 3164 Child safety hook set



	SG 10621 Tube adapter
	SG 11185 Pan head screw 2.2x9.5 DIN 7981 C
	SG 11324 PT Screw Countersunk KA35x14
	SG 11356 Motor drive 40/50-Series
	SG 11434 Box cover
	SG 11926

B. OPTIONAL PARTS

	SG 2006 Bottom bar 28x3 mm
	SG 2091 End cover
	SG 2093 Ring
	SG 2135 Rod steel ø 3 mm
	SG 2136 Rod tape
	SG 2137 Rod fiberglass ø 4 mm
	SG 2144 Profile ø 8 mm
	SG 2164 Ring tape
	SG 2363 Bracket 68 mm
	SG 2378 Support
	SG 2379 Sleeve
	SG 2521 Bracket
	SG 3055 Hook
	SG 3069 Child safety eyelet

	SG 3074 Loop tape		SG 11204 Smart Fix 150 mm
	SG 3161 Child safety eyelet set		SG 11210 Square Smart Fix 60 mm
	SG 3165 Child safety eyelet set		SG 11211 Square Smart Fix 80 mm
	SG 3166 Child safety tape set		SG 11212 Square Smart Fix 100 mm
	SG 10149 Pan head screw 2.2x6.5		SG 11213 Square Smart Fix 120 mm
	SG 10395 Pan head screw M4x6		SG 11214 Square Smart Fix 150 mm
	SG 10492 Pan head screw M4x8		SG 11482 Ring
	SG 11154 Universal Smart Fix 120 mm		SG 11900 Move Server
	SG 11155 Universal Smart Fix 150 mm		SG 11931 Radio hand held 1 channel
	SG 11156 Universal Smart Fix 200 mm		SG 11932 Radio hand held 6 channel
	SG 11200 Smart Fix 60 mm		SG 11936 Radio wall transmitter 1 channel
	SG 11201 Smart Fix 80 mm		SG 11937 Radio wall transmitter 6 channel
	SG 11202 Smart Fix 100 mm		SG 11951 Charger USB-C
	SG 11203 Smart Fix 120 mm		

SG 2360



PRODUCT INFORMATION

- **Operation:** motorised
- **Range:** S - L
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016, black 9005
- **Fabrics:** refer to Silent Gliss fabric collection

Features:

- Quiet motors
- Soft stop
- Various control options
- Enclosed headrail
- Fascia included

SYSTEM SPECIFICATIONS


A. SYSTEM DIMENSIONS



4 m



60 cm*
*see motor specification
table



4 m




16 m²



10 kg


B. PROFILE

Profile information




SG 2371

Head box




SG 2372

Tube ø 45 mm




SG 11434

Box cover



SG 2004

Bottom bar 20x7 mm




SG 2006

Bottom bar 28x3 mm




SG 2135

Rod steel ø 3 mm



SG 2137


Rod fiberglass ø 4 mm



SG 2144

Profile ø 8 mm

C. HOW TO
MEASURE




A: System width
B: System height

FITTING

A. FITTING
INFORMATION



For detailed fitting information, visit the *Silent Gliss* website.

Fixing points




B. CEILING FITTING

Clamp SG 3003



SG 3003
Clamp


Bracket SG 2521




SG 2521
Bracket

C. WALL FITTING


Smart Fix




Smart Fix SG 11200 - SG 11204 and bracket SG 2521:
Screw SG 10395 (M4x6) needed.



Square Smart Fix SG 11210 - SG 11214 and bracket SG 2521:
Screw SG 10395 (M4x6) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 2521:
Screw SG 10492 (M4x8) needed.




SG 2521
Bracket




SG 10395
Pan head screw M4x6




SG 10492
Pan head screw M4x8




SG 11200
Smart Fix 60 mm




SG 11201
Smart Fix 80 mm




SG 11202
Smart Fix 100 mm




SG 11203
Smart Fix 120 mm




SG 11204
Smart Fix 150 mm




SG 11210
Square Smart Fix 60 mm




SG 11211
Square Smart Fix 80 mm




SG 11212
Square Smart Fix 100 mm




SG 11213
Square Smart Fix 120 mm




SG 11214
Square Smart Fix 150 mm



SG 11154
Universal Smart Fix 120 mm





SG 11155
Universal Smart Fix 150 mm






SG 11156
Universal Smart Fix 200 mm

Bracket SG 2363




SG 2363
Bracket 68 mm

D. FITTING WITH SIDE GUIDE OPTION




SG 2384




SG 8235

Side guide wire base short




SG 8236

Side guide wire base long




SG 8237

Side guide wire holder



SG 8249

Side guide device




SG 10643

Side guide wire $\varnothing$ 1.3 mm x 4.2 m

SYSTEM OPTIONS

A. FABRIC MAKE-UP



Type A (standard)

A: Loop tape SG 3074


B: Cord SG 2216

C: Child safety hook set SG 3164

D: Hollow hem

E: Bottom bar SG 2004

F: Child safety: max. distance 200 mm



Type B (rod)


A: Hollow hem

B: Child safety eyelet hard fold SG 3069

C: Rod SG 2135

D: Cord SG 2216

E: Child safety hook set SG 3164



Type C (rod)

A: Child safety eyelet set SG 3161


B: Rod SG 2135 / SG 2137

C: Cord SG 2216

D: Child safety hook set SG 3164

E: Option: Rod SG 2135 / SG 2137 can be installed to room side

B. SIDE GUIDES



Additional parts:

- 2x SG 2384 Side guide wire holder
- 2x SG 8235 / SG 8236 Side guide wire base short / long
- 2x SG 8237 Side guide wire holder
- 2x SG 8249 Side guide device
- 2x SG 10643 Side guide wire $\varnothing$ 1.3 mm

Note:

- Up to 15° from vertical

MOTORS & CONTROLS

A. MOTOR FEATURES

Motors	50-Series	40-Series	25-Series	20-Series	5-Series
	SG 11251	SG 11943 SG 11944	SG 11625	SG 10522	SG 10715

Motor Features

Soft stop	•	•	•	•	
Electronic end-stop	•	•	•	•	
Electronic revolution counter (unlimited revolution)	•	•	•	•	
Mechanical end-stop					•
Mechanical revolution counter (limited revolution)					•
One intermediate position possible		•			
Bottom bar alignment	•	•			
Noiseless stop				•	
Parallel wiring possible without additional relays		•	•	•	
Disconnectable motor cable	•	•	•	•	
IP class	IP 30	IP 30	IP 30	IP 44	IP 44

Control Features

Mains power control			•	•	•
Dry contact control	•	•			
Dry contact and / or SG Control N control		•			
SG Control N (built-in receiver)		•			
Smart by Silent Gliss	•				
Suitable for most major home automation systems (with suitable interface)		•	•	•	•

B. MOTOR

SPECIFICATIONS

Motors	Max. weight	Min. system width	Voltage	Current	Frequency	Speed	Frequency receiver
50-Series (Smart by Silent Gliss)							
SG 11251	10 kg	60 cm	24 V DC	1.5 A	n/a	32 rpm	n/a
40-Series							
SG 11943	10 kg	83 cm	100-240 V AC	0.6 A	50-60 Hz	32 rpm	433 MHz
SG 11944	10 kg	60 cm	24 V DC	1.5 A	n/a	32 rpm	433 MHz
25-Series							
SG 11625	10 kg	87 cm	100-240 V AC	0.8 A	50-60 Hz	32rpm	n/a
20-Series							
SG 10522 (standard)	10 kg	60 cm	230 V AC	0.6 A	50 Hz	30 rpm	n/a
5-Series							
SG 10715	10 kg	60 cm	230 V AC	0.5 A	50 Hz	28 rpm	n/a

C. OPERATING

METHODS

See catalogue "controls" for details.

Wall Switch



System can be operated by fixed wall switch.

SG Control N



Various radio hand-held and wall transmitters available.



Silent Gliss Move App.

Smart by Silent Gliss



Open designed two-way communication system which allows to flawlessly integrate products with most major building management systems.

D. WIRING








DIAGRAMS







Refer to Silent Gliss website.









PARTS




















A. STANDARD PARTS


	SG 2004 Bottom bar 20x7 mm
	SG 2216 Cord ø 0.85 mm
	SG 2221 Velcro tape
	SG 2371 Head box
	SG 2372 Tube ø 45 mm
	SG 2373 End cover
	SG 2374 End cover
	SG 2375 Tube adapter ø 43 mm
	SG 2376 Shell
	SG 2377 Pin
	SG 2381 Motor plate
	SG 2539 Tape
	SG 3003 Clamp
	SG 3164 Child safety hook set

	SG 9917 Hirschmann portable socket-outlet STAK 3 N
	SG 10284 O-Ring
	SG 10522 Motor 230V AC, 20-Series S 3/30
	SG 10621 Tube adapter
	SG 11185 Pan head screw 2.2x9.5 DIN 7981 C
	SG 11324 PT Screw Countersunk KA35x14
	SG 11354 Motor drive 10/20-Series
	SG 11434 Box cover


B. OPTIONAL PARTS

	SG 2006 Bottom bar 28x3 mm
	SG 2093 Ring
	SG 2135 Rod steel ø 3 mm
	SG 2137 Rod fiberglass ø 4 mm
	SG 2144 Profile ø 8 mm
	SG 2164 Ring tape
	SG 2363 Bracket 68 mm
	SG 2378 Support
	SG 2379 Sleeve
	SG 2384
	SG 2521 Bracket
	SG 3055 Hook
	SG 3069 Child safety eyelet
	SG 3074 Loop tape

	SG 3161 Child safety eyelet set		SG 10643 Side guide wire ø 1.3 mm x 4.2 m		SG 11214 Square Smart Fix 150 mm
	SG 3165 Child safety eyelet set		SG 10715 Tubular motor 230V AC, 5 Series S 6/28		SG 11251 Tubular motor 24V DC, 50-Series S 3/32
	SG 3166 Child safety tape set		SG 11154 Universal Smart Fix 120 mm		SG 11260 Gateway Cedia
	SG 8235 Side guide wire base short		SG 11155 Universal Smart Fix 150 mm		SG 11261 Gateway KNX
	SG 8236 Side guide wire base long		SG 11156 Universal Smart Fix 200 mm		SG 11262 Expansion unit
	SG 8237 Side guide wire holder		SG 11200 Smart Fix 60 mm		SG 11263 Power supply 24V DC, 2 Ampere DIN Rail
	SG 8249 Side guide device		SG 11201 Smart Fix 80 mm		SG 11264 Power supply 24V DC, 3.8 Ampere DIN Rail
	SG 8943 Cable grommet		SG 11202 Smart Fix 100 mm		SG 11265 Power supply 24V DC, 5 Ampere DIN Rail
	SG 9916 Hirschmann plug set		SG 11203 Smart Fix 120 mm		SG 11266 Power supply 24V DC, 10 Ampere DIN Rail
	SG 9959 Central control unit relay		SG 11204 Smart Fix 150 mm		SG 11355 Motor drive 5-Series
	SG 10149 Pan head screw 2.2x6.5		SG 11210 Square Smart Fix 60 mm		SG 11356 Motor drive 40/50-Series
	SG 10293 Cable 230V AC, 2/3/5/10 m		SG 11211 Square Smart Fix 80 mm		SG 11482 Ring
	SG 10395 Pan head screw M4x6		SG 11212 Square Smart Fix 100 mm		SG 11625 Motor 100-240V AC, 25-Series S 3/32
	SG 10492 Pan head screw M4x8		SG 11213 Square Smart Fix 120 mm		SG 11900 Move Server



SG 11931
Radio hand held 1 channel



SG 11932
Radio hand held 6 channel



SG 11936
Radio wall transmitter 1 channel




SG 11937
Radio wall transmitter 6 channel



SG 11943
Motor 100-240V AC, 40-Series S 3/32, radio receiver



SG 11944
Motor 24V DC, 40-Series S 3/32, radio receiver



SG 11965
Power supply set 24V/2A with EU/CH plug

The Architects of Silence

Silent Gliss is the leading global supplier of premium interior window treatments. Since 1952 we have been tirelessly committed to the development of the worlds` smoothest, quietest systems using state of the art technology.

Driven by customer needs, Silent Gliss offers functional and durable products. Expert technical advice coupled with installation and support services complete the offer. Silent Gliss stands for innovative, sustainable, tailor made solutions, exceptional design and first-class quality.

Oy Vallila Contract Ab

Nilsjängatu 15

FI-00510 Helsinki

T +358 (0)20 776 7700

F +358 (0)20 776 7701

silentgliss@vallilainterior.fi

silentgliss.fi